

# AiM pressure sensor 0-5 bar absolute

0-5bar absolute pressure sensor is suitable for manifold air pressure reading (MAP), being able to read depressions up to -1 bar in relation with atmospheric pressure, additionally to absolute pressures up to 4 bars.

The sensor is sold with two different threads, whose **part number** is:

- 0-5 bar absolute M10
- 0-5 bar absolute 3/8 24

X05PSA00005B10A X05PSA00005B38A




### **Technical characteristics**

Supply	8-16 V
Accuracy	< +/- 0.5% FS (CLNH – combined non-linearity and hysteresis)
Characterisation	500 mV/ -1 bar 4500 mV/ 4 bar
Consumption	< 10 mA
Temperature working range	from -20°C to 135°C
Sealing	IP66
Housing	316 stainless steel
Weight	30 g
Cable length	400 mm
Thread	M10 – 3/8 24




InfoTech

## Drawings and pinout





Pin	Function
1	Analog signal
2	GND
3	+Vb
4	Not connected



**Cable color** White Black Red

InfoTech



### **Extension cables**

For this sensor connection, standard length extension cables are available, whose part number changes according to their length and to the product the sensor is to be connected to.

Extension cable for connection to:

- MXG/MXG 1.2/MXG 1.2 Strada
- MXS/MXS 1.2/MXS Strada/MXS 1.2 Strada
- MXP/MXP Strada
- MXL2
- MXm
- EVO5
- MXL Strada/Pista/Pro05

#### Part numbers:

V02PCB05B - cable length: 500mm V02PCB10B - cable length: 1000mm V02PCB15B - cable length: 1500mm V02PCB20B - cable length: 2000mm V02PCB25B - cable length: 2500mm V02PCB30B - cable length: 3000mm

Extension cable for connection to:

- Channel Expansion
- EVO4
- EVO4S

#### Part numbers:

V02PCB05BTXG - cable length: 500mm V02PCB10BTXG - cable length: 1000mm V02PCB15BTXG - cable length: 1500mm V02PCB20BTXG - cable length: 2000mm V02PCB25BTXG - cable length: 2500mm V02PCB30BTXG - cable length: 3000mm



