

AiM Infotech

Car/Bike Tire temperature  
sensor

Release 1.01

---





# 1

## Introduction

---

This datasheet shows how to install the tire temperature sensor for car/bike applications.

AiM loggers can measure tire temperature connecting to one or more temperature sensors directly connected to the measure points.

Sensor part number is: **X05TTS01B0**

# 2

## Installation and connection


---

Use a bracket to install the sensor; place it far from strong heat sources (the exhaust pipe for instance) and from electromagnetic interference sources. The best installation point is the internal part of the fender so to avoid that the sensor get damaged bumping stones or other stuff.


### 3

## Dimensions, pinout and technical characteristics

The drawing here below shows the sensor dimensions in millimetres [inches].



The image below shows sensor 4 pins Binder 719 – male connector pinout (front view) and the related table.



Pin	Function	Cable colour
1	Output signal	White
2	GND	Black
3	Not connected	
4	Vreference	Blue

The sensor technical characteristics are:

- Output signal: 0-5V
- Field of measure: 35°
- Working range: -20/120°C
- Sensor dimensions: 26.6x17.2 mm
- Sensor cable length: 250 mm

## 4

# Extension cables

---

The sensor comes with a 25 cm cable and standard lengths extension cables are available as optional; it is also possible to ask for specific length extension cables.

Extension cables part numbers change according to their length and to the device the sensor is to be connected to.

Extension cable for connection with:

- EVO4
- EVO4S
- Channel Expansion
- MyChron Expansion

Part numbers:

- V02PCB05BTXG** – cable length: 500 mm
- V02PCB10BTXG** – cable length: 1000 mm
- V02PCB15BTXG** – cable length: 1500 mm
- V02PCB20BTXG** – cable length: 2000 mm
- V02PCB25BTXG** – cable length: 2500 mm
- V02PCB30BTXG** – cable length: 3000 mm



Extension cable for connection with:

- MXG
- MXS
- XML2
- EVO5
- XML Pista/Pro05

Part numbers:

- V02PCB05B** – cable length: 500mm
- V02PCB10B** – cable length: 1000mm
- V02PCB15B** – cable length: 1500mm
- V02PCB20B** – cable length: 2000mm
- V02PCB25B** – cable length: 2500mm
- V02PCB30B** – cable length: 3000mm

