



SmartyCam HD Rev. 2



IN THE BOX

SmartyCam HD with 60° or 120° lens, CAN cable or external power cable, USB/AC power adapter, Battery charger, 4 Gb HC10 SD Card, CD for software installation, User manual

**AVAILABLE VERSIONS**

With 60° lens

- X98SHD002060** SmartyCam HD with 2 mt CAN Bus + 60° lens
- X98SHD02EM60** SmartyCam HD with 2 mt CAN Bus + 60° lens
+ Integrated external microphone harness
- X98SHD02J60** SmartyCam HD with 2 mt CAN Bus + 60° lens
+ Integrated 3.5 female Jack for external microphone harness
- X98SHD004060** SmartyCam HD with 4 mt CAN Bus + 60° lens
- X98SHD04EM60** SmartyCam HD with 4 mt CAN Bus + 60° lens
+ Integrated external microphone harness
- X98SHD04J60** SmartyCam HD with 4 mt CAN Bus + 60° lens
+ Integrated 3.5 female Jack for external microphone harness
- X98SHD001060** SmartyCam HD with 2 mt external power cable + 60° lens
- X98SHD1EM260** SmartyCam HD with 2 mt external power cable + 60° lens
+ Integrated external microphone harness

X98SHD1J260 SmartyCam HD with 2 mt external power cable + 60° lens
+ Integrated 3.5 female Jack for external microphone harness

X98SHD1EM460 SmartyCam HD with 4 mt external power cable + 60° lens
+ Integrated external microphone harness

X98SHD1J460 SmartyCam HD with 4 mt external power cable + 60° lens
+ Integrated 3.5 female Jack for external microphone harness

With 120° lens

X98SHD002120 SmartyCam HD with 2 mt CAN Bus + 120° lens

X98SHD02EM12 SmartyCam HD with 2 mt CAN Bus + 120° lens
+ Integrated external microphone harness

X98SHD02J12 SmartyCam HD with 2 mt CAN Bus + 120° lens
+ Integrated 3.5 female Jack for external microphone harness

X98SHD004120 SmartyCam HD with 4 mt CAN Bus + 120° lens

X98SHD04EM12 SmartyCam HD with 4 mt CAN Bus + 120° lens
+ Integrated external microphone harness

X98SHD04J12 SmartyCam HD with 4 mt CAN Bus + 120° lens
+ Integrated 3.5 female Jack for external microphone harness

X98SHD001120 SmartyCam HD with 2 mt external power cable + 120° lens

X98SHD1EM212 SmartyCam HD with 2 mt external power cable + 120° lens
+ Integrated external microphone harness

X98SHD1J212 SmartyCam HD with 2 mt external power cable + 120° lens
+ Integrated 3.5 female Jack for external microphone harness

X98SHD1EM412 SmartyCam HD with 4 mt external power cable + 120° lens
+ Integrated external microphone harness

X98SHD1J412 SmartyCam HD with 4 mt external power cable + 120° lens
+ Integrated 3.5 female Jack for external microphone harness

SPARE PARTS

V02566070 CAN harness - L = 2 mt

V02566060 CAN harness - L = 4 mt



V02566150 External power harness - L=2mt

ACCESSORIES



GPS05B Module

XSMGPS05S2 SmartyCam GPS with 2 mt harness

XSMGPS05S4 SmartyCam GPS with 4 mt harness



Suction cup kit

X90KSSMC1 In the box: suction cup, 60 mm arm, ball head, washer

Kit for 1 to 2.1 in. Ø bar

X90KSSMC0 In the box: handlebar bracket, 60 mm arm, ball head, washer

Kit for 0.5 to 1.2 in. Ø bar

X90KSTP00 In the box: U-bolt, 60 mm arm, ball head, washer



Glass replacement kit

X98KVOCHD0 The kit includes the Schott B270 glass and his o-ring OR30X1

Display glass replac. kit

X98KVDPCHD0 Methacrylate anti-glare anti-scratch protection



ECU Bridge

X90BGGP12RMA ECU Bridge with CAN/RS232 communication cable

X90BGCK12MA ECU Bridge with CAN/K Line communication cable -
OBDII standard connector

RPM Bridge


X90BGRPMBM

CABLE + EXTERNAL MICROPHONE




V02566080 External power + Integrated external microphone harness
L=2mt

V02566230 External power + Integrated external microphone harness
L=4mt




V02566310 External power + Integrated 3.5 female Jack
for external microphone harness - L=2mt

V02566320 External power + Integrated 3.5 female Jack
for external microphone harness - L=4mt




V02566100 CAN Bus + Integrated external microphone harness - L=2mt


V02566240 CAN Bus + Integrated external microphone harness - L=4mt






- V02566290** CAN Bus + Integrated 3.5 female Jack
for external microphone harness - L=2mt
- V02566300** CAN Bus + Integrated 3.5 female Jack
for external microphone harness - L=4mt






7 pin female
connector - pinout
external view



CONNECTOR EXT	
1	CAN+
2	GND
3	+Vb
4	CAN-
5	Vbext
6	GND
7	Mic+

4 pin female
connector - pinout
external view



CONNECTOR GPS	
1	CAN+
2	GND
3	+Vb
4	CAN-



AiM Srl

Via Cavalcanti, 8
20063 Cernusco sul Naviglio (MI)
Italia

Tel. (+39) 02.9290571

Fax (+39) 02.92118024

aim-sportline.com

Made in Italy