



AiM GPS09c Open

Expansion







GPS09c Open



GPS09c Open, Roof version

Dimensions




Dimensions in mm




AiM GPS09c Open

Expansion


Pinout




7 PINS binder 712 female connector (external view)



1	USB D+
2	USB D-
3	CAN L
4	CAN H
5	GND
6	RS232 TX
7	+ Vb



7 PINS binder 712 female connector (external view)




1	USB D+
2	USB D-
3	CAN L
4	CAN H
5	GND
6	RS232 TX
7	+ Vb



AiM GPS09c Open

Expansion

Connections





AiM GPS09c Open

Expansion

Technical specifications

GPS	25 Hz
External power	5÷15 V
Inertial platform	No
Connection	CAN, RS232
Dimensions	53.2 x 53.8 x 19.7 mm (Open) 53.2 x 53.8 x 37.2 mm (Open Roof version)
Weight	60.5 g (Open) 100 g (Open Roof version)
Waterproof	IP65



AiM GPS09c Open

Expansion

Kits, accessories & spare parts

Kit 1 Open, CAN version

Description	Part number	The kit contains	
GPS09c Open + CAN Harness 4 m	X40GPS09OP4000	GPS09c Open 	CAN Harness 4 m 

Kit 2 Open, RS232 version

Description	Part number	The kit contains	
GPS09c Open + RS232 Harness 4 m	X40GPS09OP4001	GPS09c Open 	RS232 Harness 4 m 

Kit 3 Open Roof, CAN version

Description	Part number	The kit contains	
GPS09c Open Roof version + CAN Harness 4 m	X40GPS09OP400RF0	GPS09c Open Roof version 	CAN Harness 4 m 

Kit 4 Open Roof, RS232 version

Description	Part number	The kit contains	
GPS09c Open Roof version + RS232 Harness 4 m	X40GPS09OP400RF1	GPS09c Open Roof version 	RS232 Harness 4 m 



AiM GPS09c Open

Expansion

Kits, accessories & spare parts

Optional harnesses

Description	Part number	
Open CAN Harness 4 m	V02551780	
Description	Part number	
Open AiM CAN Harness 2 m	V02551850	
Description	Part number	
Open RS232 Harness 4 m	V02551820	
Description	Part number	
Open USB Harness 0.5 m	V02551690	