






# SmartyCam 3 Sport

On-board camera



1/4" - 20 UNC  
Fixing point  
Max depth 5.5 mm






# SmartyCam 3 Sport

On-board camera

## Pinout



| EXP |        |
|-----|--------|
| 1   | CAN +  |
| 2   | GND    |
| 3   | +Vbout |
| 4   | CAN -  |
| 5   | +Vbext |



# SmartyCam 3 Sport

On-board camera

## Technical characteristics

|                                  |                                  |
|----------------------------------|----------------------------------|
| <b>Video format</b>              | H.264 1920 x1080 pixels @ 30 fps |
| <b>Display resolution</b>        | 128 x 128 pixels                 |
| <b>Lens</b>                      | Low distortion camera lens       |
| <b>CMOS sensor</b>               | Global Shutter                   |
| <b>Field of view</b>             | 67° or 84°                       |
| <b>Internal battery</b>          | Rechargeable lithium battery     |
| <b>External power</b>            | 9-15 Volt                        |
| <b>Supported microSD card</b>    | Up to 2 TB                       |
| <b>Connectors</b>                | 1 Binder 712 female              |
| <b>Usage temperatures</b>        | -10°C/+50°C                      |
| <b>Auto Power ON</b>             | Yes                              |
| <b>Auto Power OFF</b>            | Yes                              |
| <b>Auto Start/Stop Recording</b> | Yes                              |
| <b>Dimensions</b>                | 79.9 x 54 x 46.5 mm              |
| <b>Fixing point</b>              | 1/4" - 20 UNC - Max depth 5.5 mm |
| <b>Weight</b>                    | 200 g, battery included          |
| <b>Waterproof</b>                | IP65                             |



# SmartyCam 3 Sport

On-board camera

## Kits, accessories & spare parts

### Kit 1 SmartyCam 3 Sport 67° lens CAN 2 m

| Description                        | Part number*     | The kit contains  |  |  |
|------------------------------------|------------------|---|--|--|
| SmartyCam 3 Sport CAN 2 m 67° lens | <b>XS3S672</b> □ | SmartyCam 3 Sport (67° lens)<br> | CAN Expansion cable 2 m<br> | Battery charger with AC adapter<br> |

### Kit 2 SmartyCam 3 Sport 67° lens CAN 4 m

| Description                        | Part number*     | The kit contains  |  |  |
|------------------------------------|------------------|---|--|--|
| SmartyCam 3 Sport CAN 4 m 67° lens | <b>XS3S674</b> □ | SmartyCam 3 Sport (67° lens)<br> | CAN Expansion cable 4 m<br> | Battery charger with AC adapter<br> |

### Kit 3 SmartyCam 3 Sport 84° lens CAN 2 m

| Description                        | Part number*     | The kit contains  |  |  |
|------------------------------------|------------------|---|--|--|
| SmartyCam 3 Sport CAN 2 m 84° lens | <b>XS3S842</b> □ | SmartyCam 3 Sport (84° lens)<br> | CAN Expansion cable 2 m<br> | Battery charger with AC adapter<br> |

### Kit 4 SmartyCam 3 Sport 84° lens CAN 4 m

| Description                        | Part number*     | The kit contains  |  |  |
|------------------------------------|------------------|---|--|--|
| SmartyCam 3 Sport CAN 4 m 84° lens | <b>XS3S844</b> □ | SmartyCam 3 Sport (84° lens)<br> | CAN Expansion cable 4 m<br> | Battery charger with AC adapter<br> |

\* AC Adapter: substitute □ with:

- E** for Europe
- G** for UK
- U** for USA
- A** for Australia



# SmartyCam 3 Sport

## On-board camera

### Kits, accessories & spare parts

#### Kit 5 SmartyCam 3 Sport 67° lens CAN 2 m HUB

| Description                            | Part number*     | The kit contains  |   |  |  |
|--|------------------|---|---|--|--|
| SmartyCam 3 Sport CAN 2 m HUB 67° lens | <b>XS3S672H2</b> | SmartyCam 3 Sport (67° lens)<br> | CAN Expansion cable 2 m<br> | Data Hub 2 ways<br> | Battery charger with AC adapter<br> |

#### Kit 6 SmartyCam 3 Sport 67° lens CAN 4 m HUB

| Description                            | Part number*     | The kit contains  |   |  |  |
|--|------------------|---|---|--|--|
| SmartyCam 3 Sport CAN 4 m HUB 67° lens | <b>XS3S674H2</b> | SmartyCam 3 Sport (67° lens)<br> | CAN Expansion cable 4 m<br> | Data Hub 2 ways<br> | Battery charger with AC adapter<br> |

#### Kit 7 SmartyCam 3 Sport 84° lens CAN 2 m HUB

| Description                            | Part number*     | The kit contains  |   |  |  |
|--|------------------|---|---|--|--|
| SmartyCam 3 Sport CAN 2 m HUB 84° lens | <b>XS3S842H2</b> | SmartyCam 3 Sport (84° lens)<br> | CAN Expansion cable 2 m<br> | Data Hub 2 ways<br> | Battery charger with AC adapter<br> |

#### Kit 8 SmartyCam 3 Sport 84° lens CAN 4 m HUB

| Description                            | Part number*     | The kit contains  |   |  |  |
|--|------------------|---|---|--|--|
| SmartyCam 3 Sport CAN 4 m HUB 84° lens | <b>XS3S844H2</b> | SmartyCam 3 Sport (84° lens)<br> | CAN Expansion cable 4 m<br> | Data Hub 2 ways<br> | Battery charger with AC adapter<br> |

\* AC Adapter: substitute □ with:

- E** for Europe
- G** for UK
- U** for USA
- A** for Australia



# SmartyCam 3 Sport

On-board camera

## Kits, accessories & spare parts

### Accessories

| Bracket kits  | Part number      |   |
|---|------------------|---|
| <b>Suction cup kit</b><br>In the box: suction cup + clamp base with ball + 60 mm single ball arm<br>+ Ball head + washer diameter 17.7mm, thickness 1.5mm, hole 6mm       | <b>X90KSSMC1</b> |  |
| <b>Kit for 1 to 2.1 inches Ø bar</b><br>In the box: Handlebar bracket + straps + 60 mm single ball arm<br>+ Ball head + washer diameter 17.7mm, thickness 1.5mm, hole 6mm | <b>X90KSSMC0</b> |  |
| <b>Kit for 0.5 to 1.2 inches Ø bar</b><br>In the box: U-bolt + straps + 60 mm single ball arm<br>+ Ball head + washer diameter 17.7mm, thickness 1.5mm, hole 6mm          | <b>X90KSTP00</b> |  |

### Spare Parts

| Description   | Part number                                |   |
|---|--|---|
| <b>Glass Kit SmartyCam 3 Sport</b>  | <b>X53SKITV00</b>                          |  |
| <b>Battery charger with AC adapter</b><br><br>AC Adapter:<br>substitute □ with <b>E</b> for Europe, <b>G</b> for UK, <b>U</b> for USA, <b>A</b> for Australia | <b>X06A12VBM</b>                           |  |
| <b>CAN Expansion cable</b><br>2 m<br>4 m  | <b>V02554820</b><br><b>V02554830</b>       |  |
| <b>Data Hub 2 ways</b>  | <b>X08HB2GK0</b>                           |  |
| <b>GPS09 Module</b><br>1.30 m<br>2 m  | <b>X40GPS090130</b><br><b>X40GPS090200</b> |  |